Biopolymers

Author Index to Volume 49

Aghajari, N. See André, G., 107
Alemán, C. See Zanuy, D., 497
Amino, Y. See Mattern, R.-H., 525
André, G.
—; Buléon, A.; Juy, M.; Aghajari, N.; Haser, R.; Tran, V.: Amylose Chain Behavior in an Interacting Context II. Molecular Modeling of a Maltopentaose Fragment in the Barley α-Amylase Catalytic Site, 107
Añón, M. C. See Jovanovich, G., 81
Asakura, T. See Kikuchi, J., 361

Bauer, W. R. See White, J. H., 605
Baumann, C. G. See Matulis, D., 451
Benedetti, E. See Mattern, R.-H., 525
Benegas, J. C.
—; Pantano, S.; Vetere, A.; Paoletti, S.: Polyelectrolytic Aspects of the Thermodynamics of Conformational Transition: κ-Carrageenan in Formamide, 127
Bertani, R. See Ganis, P., 541
Bloomfield, V. A. See Matulis, D., 451
Brack, A. See Maget-Dana, R., 415
Brodsky, B. See Shah, N. K., 297
Buléon, A. See André, G., 107

Cannon, G. C. See Martin, G. G., 621
Carrier, V. See Mercier, P., 21
Chance, M. R. See Xie, A., 591
Christensen, B. E. See Hjerde, T., 71
Confalonieri, L. See Ragona, L., 441
Conroy, M. J. See Kikuchi, J., 361

Daragan, V. A. See Mikhailov, D. V., 373
de Kruif, C. G. See Tuinier, R., 1
De Kruif, K. G. See Ragona, L., 441
de Kruif, K. G. See Verheul, M., 11
Digate, R. J. See Yan, C., 55
Doi, M.
—; Shinozaki, F.; In, Y.; Ishida, T.; Yamamoto, D.; Kamigauchi, M.; Sugiura, M.; Hamada, Y.; Kohda, K.; Shioiri, T.: Conformational Change of Ascidiacyclamide Caused by Asymmetric Modification for An Isoleucine Residue: Structural Analyses of [Gly], [Leu], and [Phe]scidiacyclamides by X-Ray Diffraction and NMR Spectroscopy, 459
Donald, A. M. See Waigh, T. A., 91
Dubin, P. L. See Gao, J. Y., 185
Duong, T. H. See Gurlie, R., 313
Dwyer, D. S.
Molecular Simulation of the Effects of Alcohols on Peptide Structure, 635

Edgell, M. H. See Waldner, J. C., 471
Esler, W. P.
—; Stimson, E. R.; Fishman, J. B.; Ghilardi, J. R.; Vinters, H. V.; Mantyh, P. W.; Maggio, J. E.: Stereochemical Specificity of Alzheimer's Disease β-Peptide Assembly, 505
Evans, J. S. See Xu, G., 303
Ewins, A. R. See Spina, M., 255

Ferretti, J. A. See La Penna, G., 235
Fioravanti, R. See La Penna, G., 235
Fishman, J. B. See Esler, W. P., 505
Fleer, G. J. See Tuinier, R., 1
Fontana, W. See Wuchty, S., 145
Friso, A. See Spina, M., 255
Fujimoto, B. S. See Schurr, J. M., 355

Ganis, P.
—; Valle, G.; Pandolfo, L.; Bertani, R.; Visentin, F.: Further Crystallographic Evidence of NH $\cdots$ π (System) and CO $\cdots$ π (System) Interactions: The Structures of Bis(Diarylhydrazonecarbonyl)-Methylene Derivatives $[\{ArPhC{=}NNH{-}C(O)\}_2CH_2]$ (Ar = Ph, 2-C_5H_4N, 2-C_4H_3S)*, 541
Gao, J. Y.
—; Dubin, P. L. : Binding of Proteins to Copolymers of Varying Hydrophobicity, 185
Ghilardi, J. R. See Esler, W. P., 505
Gidley, M. J. See Waigh, T. A., 91
Gnau, V. See Walk, T. B., 329
Goodman, M. See Mattern, R.-H., 525
Gruschus, J. M. See La Penna, G., 235
Guiles, R. D. See Yan, C., 55
Gurlie, R.
—; Duong, T. H.; Zakrzewska, K.: The Role of DNA–Protein Salt Bridges in Molecular Recognition: A Model Study, 313

Hamada, Y. See Doi, M., 459
Haser, R. See André, G., 107
He, Q. See Xie, A., 591
Heidelbach, F. See Waigh, T. A., 91
Heller, C. See Magnúsdóttir, S., 385
Hirabayashi, T. See Inai, Y., 551
Hjerde, T.
—; Smidsrød, O.; Christensen, B. E.: Analysis of the Conformational Properties of κ- and ι-Carrageenan by Size-Exclusion Chromatography Combined with Low-Angle Laser Light Scattering, 71
Hofacker, I. L. See Wuchty, S., 145
Huang, C. C. See Klein, T. E., 167
Hunter, C. N. See Kikuchi, J., 361

In, Y. See Doi, M., 459
Inai, Y.
—; Kurokawa, Y.; Hirabayashi, T.: Terminal Effect of Chiral Residue on Helical Screw Sense in Achiral Peptides, 551
Isambert, H. See Magnúsdóttir, S., 385
Ishida, T. See Doi, M., 459

Jack, R. W. See Walk, T. B., 329
Jönsson, B. See Khan, M. O., 121
Jovanovich, G.
—; Añón, M. C.: Amylose–Lipid Complex Dissociation. A Study of the Kinetic Parameters, 81
Jung, G. See Walk, T. B., 329
Juy, M. See André, G., 107

Kamigauchi, M. See Doi, M., 459
Kasapis, S. See Tsoga, A., 267
Kempter, C. See Walk, T. B., 329
Khan, M. O.
—; Jönsson, B.: Electrostatic Correlations Fold DNA (Rapid Communication), 121
Kiefer, J. E. See Saroff, H. A., 425
Kikuchi, J.
—; Asakura, T.; Loach, P. A.; Parkes-Loach, P. S.; Shimada, K.; Hunter, C. N.; Conroy, M. J.; Williamson, M. P.: A Light-Harvesting Antenna Protein Retains Its Folded Conformation in the Absence of Protein–Lipid and Protein–Pigment Interactions, 361
Kirkpatrick, A. See Shah, N. K., 297
Klein, T. E.
—; Huang, C. C.: Computational Investigations of Structural Changes Resulting from Point Mutations in a Collagen-Like Peptide, 167
Ko, L. See Protozanova, E., 287
Kohda, K. See Doi, M., 459
Kotovych, G. See Yamamoto, H., 277
Krimm, S. See Lee, S.-H., 195
Kurokawa, Y. See Inai, Y., 551

Lahr, S. J. See Waldner, J. C., 471
Lai, L. See Li, W., 481
Lamm, G. See Pack, G. R., 575
La Penna, G.
—; Mormino, M.; Pioli, F.; Perico, A.; Fioravanti, R.; Gruschus, J. M.; Ferretti, J. A.: Smoluchowski Dynamics of the vnd/NK-2 Homeodomain from *Drosophila melanogaster:* First-Order Mode-Coupling Approximation, 235
Lavery, R. See Lebrun, A., 341
Lebrun, A.
—; Lavery, R.: Modeling DNA Deformations Induced by Minor Groove Binding Proteins, 341
Lee, S.-H.
—; Mirkin, N. G.; Krimm, S.: A Quantitative Anharmonic Analysis of the Amide A Band in α-Helical Poly(L-Alanine), 195
Lelièvre, D. See Maget-Dana, R., 415
Li, W.
—; Liu, Z.; Lai, L.: Protein Loops on Structurally Similar Scaffolds: Database and Conformational Analysis, 481
Liu, Z. See Li, W., 481
Loach, P. A. See Kikuchi, J., 361
Longhi, R. See Ragona, L., 441
Lovrien, R. E. See Matulis, D., 451
Lund, R. A. See White, J. H., 605

Macgregor, R. B., Jr. See Protozanova, E., 287
Madhusudhan, M. S.
—; Vishveshwara, S.: Comparison of the Dynamics of Bovine and Human Angiogenin: A Molecular Dynamics Study, 131
Maget-Dana, R.
—; Lelièvre, D.; Brack, A.: Surface Active Properties of Amphiphilic Sequential Isopeptides: Comparison Between α-Helical and β-Sheet Conformations, 415
Maggio, J. E. See Esler, W. P., 505
Magnúsdóttir, S.
—; Isambert, H.; Heller, C.; Viovy, J.-L.: Electrohydrodynamically Induced Aggregation During Constant and Pulsed Field Capillary Electrophoresis of DNA, 385
Mammi, S. See Ragona, L., 441
Mantyh, P. W. See Esler, W. P., 505
Martin, G. G.
—; Cannon, G. C.; McCormick, C. L.: Adsorption of a Fungal Hydrophobin onto Surfaces as Mediated by the Associated Polysaccharide Schizophyllan, 621
Mattern, R.-H.
—; Amino, Y.; Benedetti, E.; Goodman, M.: Conformational Analysis of Potent Sweet Taste Ligands

by NMR and Computer Simulations, 525
Matulis, D.
—; Baumann, C. G.; Bloomfield, V. A.; Lovrien, R. E.: 1-Anilino-8-Naphthalene Sulfonate as a Protein Conformational Tightening Agent, 451
Mayo, K. H. See Mikhailov, D. V., 373
McCammon, J. A. See Smart, J. L., 225
McCormick, C. L. See Martin, G. G., 621
Mercier, P.
—; Carrier, V.; Roy, S.; Savoie, R.: Raman Spectroscopic Measurements in Self-Pressurized Aqueous Solutions Above 100°C: The Melting of Poly(G) and Poly(G) · Poly(C), 21
Mikhailov, D. V.
—; Washington, L.; Voloshin, A. M.; Daragan, V. A.; Mayo, K. H.: Angular Variances for Internal Bond Rotations of Side Chains in GXG-Based Tripeptides Derived from ^{13}C-NMR Relaxation Measurements: Implications to Protein Folding, 373
Miller, L. See Xie, A., 591
Millhauser, G. L. See Trulson, J. A., 215
Mirkin, N. G. See Lee, S.-H., 195
Mohanty, U.
—; Stellwagen, N. C.: Free Solution Mobility of Oligomeric DNA, 209
Molinari, H. See Ragona, L., 441
Mormino, M. See La Penna, G., 235
Moyna, G.
—; Williams, H. J.; Nachman, R. J.; Scott, A. I.: Conformation in Solution and Dynamics of a Structurally Constrained Linear Insect Kinin Pentapeptide Analogue, 403
Nachman, R. J. See Moyna, G., 403
Nordenskiöld, L. See van Dam, L., 41

Olieman, C. See Tuinier, R., 1

Pack, G. R.
—; Wong, L.; Lamm, G.: Divalent Cations and the Electrostatic Potential Around DNA: Monte Carlo and Poisson–Boltzmann Calculations, 575
Pandolfo, L. See Ganis, P., 541
Pantano, S. See Benegas, J. C., 127
Paoletti, S. See Benegas, J. C., 127
Parker, K. H. See Spina, M., 255
Parkes-Loach, P. S. See Kikuchi, J., 361
Pedersen, J. S. See Verheul, M., 11
Peggion, E. See Ragona, L., 441
Peng, Z.-H.
Solid Phase Synthesis and NMR Conformational Studies on Cyclic Decapeptide Template Molecule, 565
Perico, A. See La Penna, G., 235
Pielak, G. J. See Waldner, J. C., 471
Pioli, F. See La Penna, G., 235
Possani, L. D. See Yamamoto, H., 277
Protozanova, E.
—; Ko, L.; Macgregor, R. B., Jr.: DNA Frayed Wires: Differential Polymerization of d(A_nG_m) Oligonucleotides, 287

Ragona, L.
—; Confalonieri, L.; Zetta, L.; De Kruif, K. G.; Mammi, S.; Peggion, E.; Longhi, R.; Molinari, H.: Equilibrium Unfolding CD Studies of Bovine β-Lactoglobulin and Its 14–52 Fragment at Acidic pH, 441
Raleigh, D. P. See Spector, S., 29
Ramshaw, J. A. M. See Shah, N. K., 297
Richardson, R. K. See Tsoga, A., 267
Riekel, C. See Waigh, T. A., 91
Roefs, P. F. M. See Verheul, M., 11
Rosconi, M. See Spector, S., 29
Roy, S. See Mercier, P., 21

Saroff, H. A.
—; Kiefer, J. E.: The Legacies of Langmuir, Ising, and Pauling: Ligand Binding and the Helix–Coil Transition, 425
Savoie, R. See Mercier, P., 21
Schurr, J. M.
—; Fujimoto, B. S.: Dynamic Twisting Correlations in a Model DNA with Uniform Torsion Elastic Constant, 355
Schuster, P. See Wuchty, S., 145
Sclavi, B. See Xie, A., 591
Scott, A. I. See Moyna, G., 403
Sejbal, J. See Yamamoto, H., 277
Shah, N. K.
—; Brodsky, B.; Kirkpatrick, A.; Ramshaw, J. A. M.: Structural Consequences of D-Amino Acids in Collagen Triple-Helical Peptides, 297
Shimada, K. See Kikuchi, J., 361
Shinozaki, F. See Doi, M., 459
Shioiri, T. See Doi, M., 459
Smart, J. L.
—; McCammon, J. A.: Phosphorylation Stabilizes the N-Termini of α-Helices, 225
Smidsrød, O. See Hjerde, T., 71
Spector, S.
—; Rosconi, M.; Raleigh, D. P.: Conformational Analysis of Peptide Fragments Derived from the Peripheral Subunit-Binding Domain from the Pyruvate Dehydrogenase Multienzyme Complex of *Bacillus stearothermophilus:* Evidence for Nonrandom Structure in the Unfolded State, 29
Spina, M.
—; Friso, A.; Ewins, A. R.; Parker, K. H.; Winlove, C. P.: Physicochemical Properties of Arterial Elastin

and Its Associated Glycoproteins, 255
Stefansson, M.
Electrohydrodynamic Instabilities and Segregation of Polysaccharides in Capillary Polymer Solution Electrophoresis, 515
Stellwagen, N. C. See Mohanty, U., 209
Stewart, J. M. See Yamamoto, H., 277
Stimson, E. R. See Esler, W. P., 505
Stuart, M. A. C. See Tuinier, R., 1
Sugiura, M. See Doi, M., 459
Süßmuth, R. See Walk, T. B., 329

Tran, V. See André, G., 107
Trulson, J. A.
—; Millhauser, G. L.: The Effect of Mutations on Peptide Models of the DNA Binding Helix of p53: Evidence for a Correlation Between Structure and Tumorigenesis, 215
Tsoga, A.
—; Kasapis, S.; Richardson, R. K.: The Rubber-to-Glass Transition in High Sugar Agarose Systems, 267
Tuinier, R.
—; Zoon, P.; Olieman, C.; Stuart, M. A. C.; Fleer, G. J.; de Kruif, C. G.: Isolation and Physical Characterization of an Exocellular Polysaccharide, 1

Valle, G. See Ganis, P., 541
van Dam, L.
—; Nordenskiöld, L.: Interactions of Polyamines with the DNA Octamers d(^{5}CG)$_4$ and d(GGAATTCC): A ^{1}H-NMR Investigation, 41
Verheul, M.
—; Pedersen, J. S.; Roefs, P. F. M.; de Kruif, K. G.: Association Behavior of Native β-Lactoglobulin, 11
Vetere, A. See Benegas, J. C., 127
Vinters, H. V. See Esler, W. P., 505
Viovy, J.-L. See Magnúsdóttir, S., 385
Visentin, F. See Ganis, P., 541
Vishveshwara, S. See Madhusudhan, M. S., 131
Voloshin, A. M. See Mikhailov, D. V., 373

Waigh, T. A.
—; Donald, A. M.; Heidelbach, F.; Riekel, C.; Gidley, M. J.: Analysis of the Native Structure of Starch Granules with Small Angle X-Ray Microfocus Scattering, 91
Waldner, J. C.
—; Lahr, S. J.; Edgell, M. H.; Pielak, G. J.: Nonideality and Protein Thermal Denaturation, 471
Walk, T. B.
—; Süßmuth, R.; Kempter, C.; Gnau, V.; Jack, R. W.; Jung, G.: Identification of Unusual Amino Acids in Peptides Using Automated Sequential Edman Degradation Coupled to Direct Detection by Electrospray-Ionization Mass Spectrometry, 329
Washington, L. See Mikhailov, D. V., 373
White, J. H.
—; Lund, R. A.; Bauer, W. R.: Effect of Salt-Dependent Stiffness on the Conformation of a Stressed DNA Loop Containing Initially Coplanar Bends, 605
Williams, H. J. See Moyna, G., 403
Williamson, M. P. See Kikuchi, J., 361
Winlove, C. P. See Spina, M., 255
Wong, L. See Pack, G. R., 575
Wuchty, S.
—; Fontana, W.; Hofacker, I. L.; Schuster, P.: Complete Suboptimal Folding of RNA and the Stability of Secondary Structures, 145
Xie, A.
—; He, Q.; Miller, L.; Sclavi, B.; Chance, M. R.: Low Frequency Vibrations of Amino Acid Homopolymers Observed by Synchrotron Far-IR Absorption Spectroscopy: Excited State Effects Dominate the Temperature Dependence of the Spectra, 591
Xu, G.
—; Evans, J. S.: Model Peptide Studies of Sequence Repeats Derived from the Intracrystalline Biomineralization Protein, SM50. I. GVGGR and GMGGQ Repeats, 303

Yamamoto, D. See Doi, M., 459
Yamamoto, H.
—; Sejbal, J.; York, E.; Stewart, J. M.; Possani, L. D.; Kotovych, G.: An NMR Conformational Analysis of a Synthetic Peptide Cn2(1–15) NH_2–S–S–Acetyl–Cn2(52–66)NH_2 from the New World *Centruroides noxius 2* (Cn2) Scorpion Toxin: Comparison of the Structure with Those of the *Centruroides* Scorpion Toxins, 277
Yan, C.
—; Digate, R. J.; Guiles, R. D.: NMR Studies of the Structure and Dynamics of Peptide E, an Endogenous Opioid Peptide that Binds with High Affinity to Multiple Opioid Receptor Subtypes, 55
York, E. See Yamamoto, H., 277

Zakrzewska, K. See Gurlie, R., 313
Zanuy, D.
—; Alemán, C.: Modeling of the α-Helix Conformation of Homopeptides Constituted by α-L-Glutamic Acid, 497
Zetta, L. See Ragona, L., 441
Zoon, P. See Tuinier, R., 1

Biopolymers

Subject Index to Volume 49

Aβ aggregation, 505
Aβ deposition, 505
Accessible surface area, 459
Active and binding sites, 131
Adsorption, 415
Agarose, 267
Aggregation, 515
Air/water interface, 415
Alginate, 515
Alzheimer's disease, 505
Amide A, 195
α-Aminoisobutyric acid, 551
Amphiphilic polyelectrolytes, 185
α-Amylase, 107
Amylopectin, 91
Amylose, 107
Amylose–lipid complex, 81
Analytical ultracentrifugation, 471
Angular variances, 373
Anharmonic analysis, 195
Aqueous solution, 21
Arterial elastin, 255
Ascidiacyclamide, 459
Association, 11
Atomic force microscopy, 621

Bacillus stearothermophilus, 29
Backbone dynamics, 55
Barley, 107
Bent DNA, 605
Biased reptation theory, 385
Biological polymers, 591
Biomineralization, 303
Bis(diarylhydrazonecarbonyl) methylene derivatives, 541
Bovine serum albumin, 451
B-Z transition, 41

C_2 symmetry, 459
C_3O_2, 541
Capillary electrophoresis, 515
Carbon suboxide, 541
Carrageenan, 71
κ-Carrageenan, conformational transition in formamide, 127
Catabolite activator protein, 313
Cataly sp., 107
CD, 215, 441, 471
CD study, 551
Centruroides sculpturatus Ewing, 277
Chain behaviors, 107
Cn2(1–15)NH_2–S–S–acetyl–Cn2 (52–66)NH_2, 277
^{13}C-nmr measurements, 373
Coil–globule transition, 121
Collagen, 297
Collagen-like peptides, 167
Computer simulations, 525
Concentration fluctuations, 515
Conformation, 71, 277
Conformational analysis, 525, 565
Conformational energy calculation, 551
Conformational transition, 71
Conformational transition, thermodynamics of, 127
Conformationally restricted peptides, 403
Cooperativity, 425
Copolymers, 185
Correlated disorder, 91
CO $\cdots$ π (systems) interactions, 541
Counterion condensation, 575
Crystal structure, 541
Cyclic peptide template, 565
Cytotoxicity, 459

Data base, 481
Density of states, 145
Differential scanning calorimetry, 471
Distance geometry and simulated annealing, 403
DNA, 121, 209, 355
DNA condensation, 121
DNA curvature, 313
DNA elasticity, 605
DNA loop, 605
DNA stretching, 341
DNA–polyamine interactions, 41
DNA–protein complexation, 313
DNA-binding helix, 215
Donnan equilibria, 471
Dynamic light scattering, 451
Dynamic programming, 145
Dynamic twisting correlations of DNA, 355

Edman chemistry, 329
Eglin c, 471
Elastin, 303
Electric field strength threshold, 515
Electrohydrodynamic instabilities, 515
Electrophoretic mobility, 287
Electrostatic interactions, 121
Electrostatic ion–ion correlations, 121
Enantiomeric peptides, 505
Entangled polymer solution, 385
Enthalpy–entropy compensation, 81
Epifluorescence videomicroscopy, 515
Exocellular polysaccharide, 1
Explicit and implicit solvation models, 403

Far-ir, 591
Fermi resonance, 195
Field inversion capillary electrophoresis, 385
Finite element analysis, 605
Fourier transform ir, 591
Frayed wires, 287
Free solution electrophoretic mobility, 209

Gel electrophoresis, 287
Gel permeation chromatography, 1
Gelatine, 297
Glass transition, 267

γ-Globulin, 451
Glycoproteins, 255
Groove width, 341
Guanine-rich DNA, 287
GXG-based tripeptides, 373

α-Helical and β-sheet conformations, 415
α-Helical poly(L-alanine), 195
Helical screw sense, 551
α-Helix, 497, 635
α-Helix stability, 225
Histidine, 385
^{1}H-nmr, 525
Homeodomain containing protein, 235
Homopeptides, 497
Human and bovine angiogenin, 131
Hyaluronate, 515
Hydrazone derivatives, 541
Hydrogen bond, 635
Hydrogen bonding, 167
Hydrophobic probe, 451
Hydrophobicity, 185
Hydrophobins, 621
Hydroxypropyl cellulose, 385

Indirect Fourier transformation, 11
Insect kinin neuropeptide mimetic analogues, 403
Interactions, 425
Internal bond rotations, 373
Intrapolymer micelle formation, 185
Invariant waters, 131
Ion pair, 451
Ionic distributions, 575
Ion-spray mass spectrometry, 329
Isoelectric buffer, 385
Isokinetic temperature, 81
Isolation, 1
Isotherms, 185

Kinetic parameters, 81

β-Lactoglobulin, 11, 441
Langevin dynamics, 225
Laser-induced fluorescence detection, 515
Left-handed 3_{10}-helix, 551
α-L-Glutamic acid, 497
Light scattering, 1
Light-harvesting antenna complex, 361
Locally unfolded structure, 441
Loop conformation, 481
Loop modeling, 481
Loop structure, 131, 481
Low-angle laser light scattering, 71

Magnesium-DNA, 575
Maltopentaose, 107
Matrix proteins, 303
Melting, 21
Membrane protein, 361
Method for the identification of unusual amino acids in peptides and proteins, 329
Micelle structure, 55
Microfibrils, 255
Modeling, 635
Modified bases, 145
Molecular dynamics, 131, 167, 459
Molecular dynamics simulations, 235, 403
Molecular mechanics, 313
Molecular modeling, 107, 341
Molecular recognition, 313
Molecular weight, 71
Monomolecular films, 415
Multistranded DNA, 287
Mutational buffering, 145

NaCl concentration, 11
Neutrality, 145
New World scorpion *Centruroides noxius* 2, 277
NH $\cdots$ π (systems) interactions, 541
nmr, 55, 215, 303, 361, 403, 459, 565
nmr Relaxation, 235
Nonideality, 471
Non-natural amino acids, 329
Normal modes, 313
Nuclear Overhauser enhancement, 361
Nucleic acid–protein complexes, 341

Oligonucleotides, 41
One-dimensional lattice theory, 425
Opioid peptide, 55

p53, 215
Peptide and protein sequencing, 329
Peptide fragments, 29
Peptide models, 215
Peptide/protein sequencer ion-spray mass-spectrometer coupling, 329
Peptides, 297
Peripheral subunit-binding domain, 29
Persistence length, 605
pH, 11
Phase separation, 515
Phosphate neutralization, 313, 341
Phosphorylation, 225
Polyamines, 41
Polyamphiphiles, 185
Polyelectrolyte aggregation, 385
Polyelectrolytes, 209
Polyelectrolytes, biological, 127
Polyguanylic acid, 21
Polyguanylic–polycytidylic acid, 21
Poly(Leu–Lys), 415
Poly(Leu–Lys–Lys–Leu), 415
Polymer solution sieving media, 515
Polysaccharides, 515
Potent sweet taste ligands, 525
Protease inhibitor, 471
Protein binding, 185
Protein design, 565
Protein dynamics, 235
Protein folding, 29, 215, 373
Protein loop, 481
Protein stability, 215, 471
Protein thermodynamics, 471
Protein–polymer interactions, 185
Pulsed-field gradient, 303
Putrescine, 41
Pyruvate dehydrogenase multienzyme complex, 29

Racemization, 297
Raman spectra, 21
Receptor subtype specificity, 55
rms deviation, 131
RNA secondary structure, 145

Schizophyllan, 621
Schizophyllum commune, 621
Sea urchin embryo, 303
Sea urchin spicule, 303

Segregation, 515
Self-association, 21
Sequential amphiphilic isopeptides, 415
β-Sheet, 565
Side chain liquid crystal polymer, 91
Side chains, 373
Simulation, 225
Size exclusion chromatography, 71
Small angle x-ray microfocus scattering, 91
Small-angle neutron scattering, 11
Smoluchowski diffusion, 235
Solid phase peptide synthesis, 565
Solid-state self-assembling, 541
Solution structure, 55, 277
Spectropolarimetry, 471
Spermidine, 41
Spermine, 41
Spider silk dragline, 303
Starch granule, 91
Stereoisomers, 505
Stimulated emission, 591
Suboptimal folding, 145
Sugar, 267
Surface modification, 621
Synchrotron radiation, 591
Synthetic[1] peptide, 277

TATA-box, 341
Temperature function, 267
Terminal chiral residue(s), 551
Thermodynamic stability of structure, 145
Torsional dynamics of DNA, 355
Toxins, 277
Trifluoroethanol, 635
Triple helix, 297
Triple-helix, 167
tRNA, 145
β-Turn, 303

Unfolded state, 29
Urea unfolding, 441

Vibrationally excited states, 591
Viscometry, 451

WLF, time function, 267
Writhe, 605

X-ray diffraction, 459

Z-dehydrophenylalanine, 551
Z-DNA, 41